

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

Home

Quick

Advanced

Help

Next List

Bottom

[view Cart](#)[view Cart](#)

Searching 1991-1995...

Results of Search in 1991-1995 db for:
"curing catalyst": 807 patents.
Hits 1 through 50 out of 807

Next 50 Hits










Jump To

Refine Search

"curing catalyst"

PAT.
NO.

Title

1 [5,476,884](#)  [Semiconductor device-encapsulating epoxy resin composition containing secondary amino functional coupling agents](#)
2 [5,476,714](#)  [Electrical overstress pulse protection](#)
3 [5,475,076](#)  [Organo\(poly\)siloxane compositions which can be cross-linked to give elastomers with elimination of alcohols](#)
4 [5,473,091](#)  [Quaternary phosphorus compounds and their preparation](#)
5 [5,471,554](#)  [Primer for electrochromic device with plastic substrate](#)
6 [5,471,338](#)  [Electrochromic device with plastic substrate](#)
7 [5,470,946](#)  [Products resulting from polymerizing or curing polycyanates containing mesogenic moieties as lateral substituents](#)
8 [5,470,923](#)  [Moisture-curable silicone pressure-sensitive adhesives](#)
9 [5,468,826](#)  [Adhesion promoting additives and curable organosiloxane compositions containing same](#)

- 10 [5,468,825](#) [Coating composition for carriers for use in electrophotography and carriers using the same](#)
- 11 [5,468,531](#) [Elastic fixing roll](#)
- 12 [5,468,311](#) [Binder system for crosslinked double base propellant](#)
- 13 [5,464,913](#) [Cycloaliphatic epoxy and primary hydroxyl groups-containing cationic resin](#)
- 14 [5,464,901](#) [Curable resin composition comprising a silicone resin having epoxy and phenyl groups in the molecule and a vinyl polymer having a group reactive with the epoxy group](#)
- 15 [5,464,801](#) [Catalyst compositions comprising rhodium catalyst complexes](#)
- 16 [5,462,988](#) [Silicone copolymer emulsion](#)
- 17 [5,462,770](#) [Process for forming a coating on a substrate](#)
- 18 [5,461,102](#) [Aqueous dispersion composition and production thereof](#)
- 19 [5,460,863](#) [Composite structures](#)
- 20 [5,460,860](#) [Mesogen-containing biaxially oriented films](#)
- 21 [5,459,205](#) [Curable resin and process for preparing the same](#)
- 22 [5,459,194](#) [Compositions for bonding organosiloxane elastomers to organic polymers](#)
- 23 [5,459,185](#) [One-part moisture-curing urethane adhesive](#)
- 24 [5,459,178](#) [Foundry mixes and their uses](#)
- 25 [5,458,980](#) [Laminates comprising organosiloxane elastomers and organic polymers and method for preparing same](#)
- 26 [5,458,929](#) [Cure controlled catalyzed mixtures of epoxy resins and curing agents containing mesogenic moieties, B-staged and cured products therefrom](#)
- 27 [5,457,168](#) [Solid compositions of polyglycidyl compounds having a molecular weight of less than 1500](#)
- 28 [5,457,166](#) [Process for preparing a polyester-modified silicone resin and a curable composition comprising the polyester-modified silicone resin](#)
- 29 [5,457,162](#) [Use of amino or hydrazino peroxides in preparing and curing polymers](#)
- 30 [5,457,142](#) [Hot-box foundry mix](#)
- 31 [5,457,081](#) [Thermal transfer image receiving sheet](#)
- 32 [5,456,989](#) [Photosensitive body for electrophotography](#)
- 33 [5,455,287](#) [Foundry mixes containing a polyether polyol and their use](#)
- 34 [5,453,126](#) [Flexible, heat-resistant reflective coatings, coated elastomeric components and methods](#)
- 35 [5,451,440](#) [Release coating for silicone pressure sensitive adhesives](#)
- 36 [5,451,256](#) [Apparatus for preparing a smooth surfaced tough elastomeric coated fibrous batt](#)
- 37 [5,449,731](#) [Resin for plastic lens](#)

- 38 [5,449,717](#) [TI](#) [Coating composition](#)
 39 [5,449,716](#) [TI](#) [Functional polyorganosiloxane emulsions from dihydrolyzable silanes and photocurable compositions therefrom](#)
 40 [5,449,546](#) [TI](#) [Image retransfer sheet](#)
 41 [5,447,996](#) [TI](#) [Adhesive comprising cured amino resin powder for printed circuit board](#)
 42 [5,447,993](#) [TI](#) [Perfluoroelastomer curing](#)
 43 [5,447,988](#) [TI](#) [Solvent free die-attach compositions](#)
 44 [5,447,982](#) [TI](#) [Process for preparing an aqueous dispersion, aqueous dispersion and aqueous coating composition](#)
 45 [5,447,968](#) [TI](#) [Polyurethane-forming binder systems containing 2,2'-dipyridyl, 1,10-phenanthroline, and their substituted alkyl derivatives](#)
 46 [5,446,099](#) [TI](#) [Thermosetting resin composition](#)
 47 [5,445,873](#) [TI](#) [Room temperature curable solventless silicone coating compositions](#)
 48 [5,445,871](#) [TI](#) [Surface-modified plastic plate](#)
 49 [5,445,867](#) [TI](#) [Thermal transfer recording sheets and back coating compositions therefor](#)
 50 [5,444,030](#) [TI](#) [Metal complexes with a high coordination number](#)

Home	Next List	Top	View Cart
	Quick	Advanced	Pat Num
			Help

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

Home

Quick

Advanced

Pat Num

Help

Prev. List

Next List

Bottom

[view Cart](#)

Searching 1991-1995...

Results of Search in 1991-1995 db for:

"curing catalyst": 807 patents.

Hits 51 through 100 out of 807

Prev. 50 Hits

Next 50 Hits

Jump To

Refine Search

"curing catalyst"

PAT.

Title

51 5,442,037 Polyester prepolymer showing shape-memory effect

52 5,442,027 Moisture curable organosiloxane compositions exhibiting extended workability






























53 5,441,994 **T** Plastisol composition

54 5,440,002 **T** Room temperature curable organopolysiloxane composition having excellent shelf stability.

55 5,439,863 **T** Neutral metal complex salts

56 5,439,746 **T** Epoxy resin-basin composite material

57 5,438,113 **T** Thermosetting resin composition

- 58 [5,438,097](#)  [Polystyrene modified with silicone rubber powder](#)
- 59 [5,436,073](#)  [Multi-layer composite](#)
- 60 [5,435,877](#)  [Process for the production of copper-clad laminate](#)
- 61 [5,432,534](#)  [Reversible thermosensitive coloring composition, recording medium, recording method, and image display apparatus using the recording medium](#)
- 62 [5,432,258](#)  [Transfer paper](#)
- 63 [5,432,233](#)  [Curable resin composition, a coating composition and a process for forming a coating film](#)
- 64 [5,432,007](#)  [Solvent-free organosiloxane composition and its use](#)
- 65 [5,431,952](#)  [Method for preservation of biological tissue](#)
- 66 [5,431,501](#)  [Printing method of surface coating a substrate](#)
- 67 [5,430,004](#)  [Heat transfer sheet](#)
- 68 [5,430,002](#)  [Thermal transfer image-receiving sheet and process for producing the same](#)
- 69 [5,428,082](#)  [Non-cyclic polyanhydride and epoxy, polyol or polyamine resin](#)
- 70 [5,428,080](#)  [Heat reservoir device and method](#)
- 71 [5,428,057](#)  [New maleimide modified epoxy resin and a method for the preparation thereof](#)
- 72 [5,427,828](#)  [Cholesteric liquid crystal and polymer dispersed liquid crystal display device utilizing the same](#)
- 73 [5,427,726](#)  [Process for resin transfer molding using a partially cured tackifier](#)
- 74 [5,426,150](#)  [Preparing suspension of epoxy resin hardener and toughener](#)
- 75 [5,426,140](#)  [Time delayed thickening, slump-resistant polymer concrete compositions, methods of repairing concrete surfaces, concrete structures repaired therewith and articles of construction comprising a formed mass, etc.](#)
- 76 [5,426,008](#)  [Photocurable self-retainable gel, shaped article prepared therefrom, applications and preparations thereof](#)
- 77 [5,424,393](#)  [Rodlike mesogenic thiirane resins \(polythiiranes\)](#)
- 78 [5,424,384](#)  [Curable organosiloxane compositions containing low temperature reactive adhesion additives](#)
- 79 [5,424,383](#)  [Room temperature curable composition containing a hydrolyzable silyl group-containing polymer and epoxy compound](#)
- 80 [5,424,369](#)  [Self-crosslinking resin](#)
- 81 [5,424,357](#)  [Compositions for bonding organosiloxane elastomers to organic polymers](#)
- 82 [5,424,354](#)  [Room temperature curable polyorganosiloxane composition](#)
- 83 [5,424,352](#)  [Heat-conductive silicone rubber composition](#)
- 84 [5,420,208](#)  [Crosslinkable polymeric composition](#)
- 85 [5,420,173](#)  [Multi-component ethylenically unsaturated peroxyesters](#)
- 86 [5,418,309](#)  [Powder coating composition](#)

- 87 [5,418,301](#) [Dendritic macromolecule and process for preparation thereof](#)
- 88 [5,418,297](#) [Crosslinking agent and curable composition](#)
- 89 [5,418,293](#) [Dispersion-type resin composition, curable composition and coating composition](#)
- 90 [5,418,266](#) [Epoxy resin compositions and semiconductor devices encapsulated therewith](#)
- 91 [5,418,051](#) [Internally coated webs](#)
- 92 [5,416,373](#) [Electrically insulated coils and a method of manufacturing thereof](#)
- 93 [5,416,165](#) [Curable composition for paint](#)
- 94 [5,415,968](#) [Surface protective film of color filter](#)
- 95 [5,415,943](#) [Wood composite materials and methods for their manufacture](#)
- 96 [5,415,927](#) [Water-repellant glass products and process for the production thereof](#)
- 97 [5,414,055](#) [Coating resin compositions](#)
- 98 [5,414,023](#) [Thixotropic foamable organosiloxane compositions](#)
- 99 [5,413,809](#) [Method for achieving recoat adhesion over a silane topcoat](#)
- 100 [5,413,724](#) [Fiber treatment compositions and methods for the preparation thereof](#)

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

Home

Quick

Advanced

Pat Num

Help

Prev. List

Next List

Bottom

[view Cart](#)

Searching 1991-1995...

Results of Search in 1991-1995 db for:

"curing catalyst": 807 patents.

Hits 101 through 150 out of 807

Prev. 50 Hits

Next 50 Hits








Jump To































Refine Search

"curing catalyst"














PAT.
NO.

Title

- 101 [5,412,057](#)  Mesogen-containing aromatic anhydride compounds
- 102 [5,411,931](#)  Thermal dye transfer receiving element with polycarbonate polyol crosslinked polymer
- 103 [5,411,802](#)  Colorant compositions and processes
- 104 [5,411,776](#)  Sealants
- 105 [5,410,007](#)  Particulated platinum group metal containing silicone resin catalyst, method for making
- 106 [5,409,994](#)  Automotive top coating composition
- 107 [5,409,963](#)  Curable silicone composition

- 108 [5,409,773](#)  [Silicone release composition](#)
- 109 [5,409,620](#)  [Fiber treatment compositions containing organofunctional siloxanes and methods for the preparation thereof](#)
- 110 [5,408,001](#)  [Hydroxyl and hydrolyzable groups-containing silicone resin with polyepoxy compound](#)
- 111 [5,407,995](#)  [Aqueous coating composition, in particular for the coating of veneer films and continuous edges and processes for the coating of veneer films and continuous edges](#)
- 112 [5,407,977](#)  [Solvent system](#)
- 113 [5,407,748](#)  [Resin composition for aqueous paint](#)
- 114 [5,407,729](#)  [Light diffracting material having improved launderability](#)
- 115 [5,407,707](#)  [Powder coating composition based on epoxy containing polymers and polyacid curing agents](#)
- 116 [5,406,641](#)  [Flexible light pipe, cured composite and processes for preparation thereof](#)
- 117 [5,406,003](#)  [Phenolic compounds](#)
- 118 [5,405,889](#)  [Room-temperature-curable organopolysiloxane composition](#)
- 119 [5,405,888](#)  [Curable silicone composition](#)
- 120 [5,405,824](#)  [Thermal transfer image-receiving sheet](#)
- 121 [5,405,701](#)  [Resin composition for aqueous coating containing glycidyl amines](#)
- 122 [5,405,677](#)  [Fluorinated resins with low dielectric constant](#)
- 123 [5,401,781](#)  [Process for forming a cured article of consistent shape from an extruded hydrolyzable siloxane composition](#)
- 124 [5,401,579](#)  [Siloxane organic hybrid polymers](#)
- 125 [5,399,907](#)  [Low temperature flexible die attach adhesive and articles using same](#)
- 126 [5,399,651](#)  [Adhesion promoting additives and low temperature curing organosiloxane compositions containing same](#)
- 127 [5,399,630](#)  [Process for curing polymers using amino or hydrazino peroxides](#)
- 128 [5,399,607](#)  [One component composition containing a catalyst and having increased storability](#)
- 129 [5,399,601](#)  [Alkoxysilyl group-containing acrylic copolymer with alkoxysilicon compound](#)
- 130 [5,399,596](#)  [Polyfluoride sulfonium compounds and polymerization initiator thereof](#)
- 131 [5,399,402](#)  [Air bag coating composition and air bag](#)
- 132 [5,399,384](#)  [Curable resin composition, a coating composition and a process for forming a coating film](#)
- 133 [5,399,373](#)  [Processes for repairing articles having wood appearance formed from synthetic resins](#)
- 134 [5,397,813](#)  [Premium release UV curable epoxysilicone compositions](#)
- 135 [5,397,685](#)  [Light-sensitive composition and process](#)
- 136 [5,397,603](#)  [Resin composition and coating composition containing the same](#)
- 137 [5,395,433](#)  [Reversible thermosensitive coloring composition, recording medium, recording method, and image display apparatus using](#)

the recording medium

- 138 [5,394,940](#)  [Sucker rod guide](#)
- 139 [5,393,855](#)  [Thermosetting resin composition](#)
- 140 [5,393,823](#)  [Coating resin composition](#)
- 141 [5,393,805](#)  [Epoxy resin composition for insulating a coil, and a coil molded from the composition](#)
- 142 [5,393,443](#)  [Hard-coating, heat-absorbing composition and heat-shielding substance](#)
- 143 [5,391,795](#)  [Silylated agents useful for absorbing ultraviolet light](#)
- 144 [5,391,665](#)  [Process for producing polymer having hydroxyl groups at both terminals](#)
- 145 [5,391,588](#)  [Curable organopolysiloxane compositions](#)
- 146 [5,389,727](#)  [Resin compositions and a method of curing the same](#)
- 147 [5,389,170](#)  [Method for bonding substrates using molten moisture reactive organosiloxane compositions](#)
- 148 [5,389,140](#)  [Electrodeposition paint composition](#)
- 149 [5,387,657](#)  [Epoxy resins containing thiadiazole and/or oxadiazole moieties](#)
- 150 [5,387,646](#)  [Fluorine-type resin composition, curable composition and coating composition](#)

Prev. List	Next List	Top	View Cart
Home	Quick	Advanced	Pat Num
			Help








[Home](#)
[Quick](#)
[Advanced](#)
[Pat Num](#)
[Help](#)

[Prev. List](#)
[Next List](#)
[Bottom](#)
[View Cart](#)

Results of Search in 1991-1995 db for:
"curing catalyst": 807 patents.
Hits 151 through 200 out of 807

Jump To

"curing catalyst"

151 [5,386,000](#)  [Low temperature flexible die attach adhesive and articles using same](#)
152 [5,385,964](#)  [Silica-free UV-absorbing abrasion resistant coatings](#)
153 [5,385,752](#)  [Method and apparatus for coating interior surfaces](#)
154 [5,384,340](#)  [Moisture-curable and photocurable silicone composition](#)
155 [5,384,197](#)  [Superconducting magnet coil and curable resin composition used therein](#)
156 [5,382,713](#)  [Phenolic compounds](#)
157 [5,382,693](#)  [Bis\(aminophenoxy\)-alpha-substituted stilbenes](#)

158 [5,382,607](#) [¶](#) [Cathodic electrodeposition coatings containing zinc hydroxyphosphite pigment](#)
159 [5,380,812](#) [¶](#) [One part curable compositions containing deactivated hydrosilation catalyst and method for preparing same](#)
160 [5,380,806](#) [¶](#) [Ink composition comprising a polyurethane and a mixture of epoxides](#)
161 [5,380,770](#) [¶](#) [Heat cured silicone rubber compositions containing a potassium aluminosilicate filler which provides resistance to hydrocarbon oils and adjustable shrinkage](#)
162 [5,378,734](#) [¶¶](#) [UV and moisture-curable organopolysiloxane compositions, cured products thereof, and method for making](#)
163 [5,376,720](#) [¶¶](#) [Curable composition](#)
164 [5,376,710](#) [¶](#) [Compositions stabilized by o-hydroxyphenyl-1,3,5-triazines and sterically hindered amines](#)
165 [5,376,706](#) [¶](#) [Anhydride epoxy coating composition modified with a silane polymer](#)
166 [5,376,704](#) [¶](#) [Water-borne coating compositions comprising half esters of anhydride polymers crosslinked by epoxies](#)
167 [5,376,420](#) [¶](#) [Curable silicone-based release agent, separator having cured film formed from the same, and pressure-sensitive tape having cured film formed from the same](#)
168 [5,374,699](#) [¶](#) [Thermosetting resin composition](#)
169 [5,374,691](#) [¶](#) [Aqueous coating composition, in particular for the coating of finish sheeting and continuous edging, as well as a process for the coating of finish sheeting and continuous edging](#)
170 [5,373,033](#) [¶](#) [Casting composition](#)
171 [5,372,914](#) [¶](#) [Pattern forming method](#)
172 [5,371,178](#) [¶](#) [Rapidly curing adhesive and method](#)
173 [5,371,164](#) [¶](#) [Room-temperature curable polyorganosiloxane composition](#)
174 [5,371,163](#) [¶](#) [Organosiloxane compositions yielding tough elastomeric materials](#)
175 [5,371,116](#) [¶](#) [Vulcanizable organopolysiloxane composition](#)
176 [5,370,971](#) [¶](#) [Epoxy based photopolymerizable composition](#)
177 [5,370,951](#) [¶](#) [Frame-supported pellicle for protection of photolithographic mask](#)
178 [5,370,733](#) [¶](#) [Flexible, heat-resistant reflective paint, painted elastomeric components and methods](#)
179 [5,369,257](#) [¶](#) [Windshield de-icing and defrosting mitt using microwave energy heating and method](#)
180 [5,369,153](#) [¶](#) [Acid-epoxy-melamine coating composition modified with a silane polymer](#)
181 [5,369,147](#) [¶](#) [Cured unsaturated polyester-polyurethane hybrid highly filled resin foams](#)
182 [5,369,063](#) [¶](#) [Molten metal filter medium and method for making same](#)
183 [5,368,921](#) [¶](#) [Metal foil-clad laminate having surface smoothness](#)
184 [5,368,859](#) [¶](#) [Biodegradable system for regenerating the periodontium](#)
185 [5,367,027](#) [¶](#) [Curable resin composition, a coating composition and a process for forming a coating film](#)

Home	Quick	Advanced	Pat Num	Top	View Cart
Prev. List	Next List				